







ЕКІПМАН КАТАЛОґУ

Equipment Catalogue, Каталог оборудования, Catalogo delle Attrezzature




+90(364) 234 06 55
info@akersa.com www.akersa.com

Akış Borusu

Straight Pipe
Поточная труба
Tubo dritto


CODE	ØDi	L	s
AKMB - 101	100	1980	1
	120	1980	1
	150	1980	1
	200	1980	1
	250	1980	1
	300	1980	2



Çatal Boru

Branch Pipe Asymmetric
Вилка Труба
Tubo di derivazione asimmetrico


CODE	ØDi	H	s	a°	A	B
AKMB - 102	100	250	1	50	50	200
	120	300	1	50	50	250
	150	350	1	50	55	300
	200	515	1	50	85	430



Y Boru

Branch Pipe Symmetric
Y-образная труба
Tubo di derivazione simmetrico


CODE	ØDi	a°	s	A	B
AKMB - 103	120	55	1	14	111
	150	55	1	20	135
	200	55	1	28	180
	250	55	1	90	230
	300	55	2	100	270



Zaviye 45°-90°

Elbow 45°-90°
локоть 45°-90°
Gomito 45°-90°


CODE	ØDi	a°	s	A
AKMB - 104	120	45-90	1	50
	150	45-90	1	60
	200	45-90	1,5	90



Zaviye 55°

Elbow 55°
локоть 55°
Gomito 55°

CODE	ØDi	a°	s	A
AKMB - 105	150	55	1	70
	200	55	1,5	80
	250	55	1,5	90
	300	55	2	100




Zaviye 5° - 10° - 15° - 22,5°

Elbow 5° - 10° - 15° - 22,5°

локоть 5° - 10° - 15° - 22,5°

Gomito 5° - 10° - 15° - 22,5°

CODE	ØDi	a°	s	A
AKMB - 106	120	5	1	150
	120	10	1	150
	120	15	1	150
	120	22,5	1	135
	150	5	1	150
	150	10	1	150
	150	15	1	150
	150	22,5	1	150
	200	10	1	250
	200	22,5	1	170
	250	10	1	250


**T Boru**

T-shaped Pipe

T-образная труба

Tubo a forma di T

CODE	ØDi	ØDs	H	s	A	B
AKMB - 107	120	94	150	1	70	10
	150	94	150	1	85	10


**Kontrol Borusu**

Control Pipe

контрольная труба

Tubo Di Controllo

CODE	ØDi	ØDs	H	s
AKMB - 108	200	100	193	1
	250	100	193	1
	300	100	193	2


**Konik Redüksiyon**

Conical Rediction

конический крой

Riduzione conica

CODE	ØDi	ØDs	H	s
AKMB - 109	120	100	50	1
	150	120	50	1
	150	120	100	1
	200	120	150	1
	200	150	100	1


**Flanşlı Konik Redüksiyon**

Flanged Conical Rediction

Фланцевый конический редикций

Riduzione Conica Flangiata

CODE	ØDi	ØDs	H	s	nxØ	A	B
AKMB - 110	120	100	50	1	6x6	156	145
	150	120	50	1	6x6	190	175




Paketleme Koniği

Bagging Conical

Коническая упаковка

Insaccamento conico

CODE	ØDi	ØDs	H	s	nxØ	A	B
AKMB - 111	120	180	425	1	4x12	250	224
	150	180	425	1,5	4x12	250	224




Flanş Ağzılı

Flange Spout

Фланцевый выпуск

Beccuccio flangiato

CODE	ØDi	ØDs	ØDt	nxØ	H	s
AKMB - 112	120	156	145	6x6	25	1
	150	190	175	6x6	25	1
	200	240	225	6x6	50	1
	250	290	275	6x6	50	1
	300	340	325	6x6	50	2




Ters Hava Çıkışlı

Wrong Air Outlet

неправильный выход воздуха

Uscita Dell'aria Errata

CODE	ØDi	H	s	Number Of Holes
AKMB - 113	120	90	1	3
	150	90	1	6




Kaynaklı Bağlantı

Welded Joint

сварное соединение

Giunto Saldato

CODE	ØDi	H	s
AKMB - 114	120	25	1
	150	25	1
	200	25	1
	250	25	1
	300	25	1,5




Boru Bağlantı

Pipe Connection

Трубное соединение

Collegamento del tubo

CODE	ØDi	H	s
AKMB - 115	120	100	1
	150	100	2




Akış Borusu (Krom)

Straight Pipe (Chrome)

Прямая труба (хром)

Tubo dritto (cromato)

CODE	ØDi	L	s
AKMKB - 101	120	1995	0,8
	150	1995	1
	200	1995	1,2
	250	1995	1,2
	300	1995	1,5


**Çatal Boru (Krom)**

Branch Pipe (Chrome)

Труба (хром)

Tubo di diramazione (cromato)

CODE	ØDi	H	s	a°	A	B
AKMKB - 102	100	250	1	50	50	200
	120	300	1	50	50	250
	150	350	1	50	55	300
	200	515	1	50	85	430


**Y Boru (Krom)**

Y Pipe (Chrome)

Y-образная труба (хром)

Tubo a Y (cromato)

CODE	ØDi	a°	s	A	B
AKMKB - 103	100	60	1	55	155
	120	63	1	55	150
	150	66	1	65	275
	200	60	1	80	290


**Zaviye 45° - 90° (Krom)**

Elbow 45° - 90° (Chrome)

локоть 45° - 90° (хром)

Gomito 55°-90° (cromato)

CODE	ØDi	a°	s	A
AKMKB - 104	120	45-90	0,8	50
	150	45-90	1	60
	200	45-90	1,2	90


**Zaviye 55° (Krom)**

Elbow 55° (Chrome)

локоть 55° (хром)

Gomito 55° (cromato)

CODE	ØDi	a°	s	A
AKMKB - 105	150	55	1	70
	200	55	1,5	80
	250	55	1,5	90
	300	55	2	100




Zaviye 5° - 10° - 15° - 22,5° (Krom)

Segment 5° - 10° - 15° - 22,5° (Crome)

локоть 5° - 10° - 15° - 22,5° (Кром)

Gomito 5° - 10° - 15° - 22,5° (cromato)

CODE	ØDi	a°	s	A
AKMKB - 106	120	5	0,80	150
	120	10	0,80	150
	120	15	0,80	150
	120	22,5	0,80	135
	150	5	1	150
	150	10	1	150
	150	15	1	150
	150	22,5	1	150
	200	10	1,2	250
	200	22,5	1,2	170
	250	10	1,2	250




T Boru (Krom)

T Pipe (Chrome)

T-образная труба (хром)

Tubo a T (cromato)

CODE	ØDi	ØDs	H	s	A	B
AKMKB - 107	120	94	150	0,80	70	10
	150	94	150	1	85	10




Kontrol Borusu (Krom)

Control Pipe (Chrome)

Трубка управления (хром)

Tubo di controllo (cromato)

CODE	ØDi	ØDs	H	s
AKMKB - 108	200	100	193	1,2
	250	100	193	1,2
	300	100	193	1,5




Konik Redüksiyon (Krom)

Conical reduction (Chrome)

Коническая редукция (хром)

Riduzione conica (Cromo)

CODE	ØDi	ØDs	H	s
AKMKB - 109	120	100	35	0,80
	150	120	43	1
	150	120	60	1,2
	200	120	80	1,2
	200	150	80	1,5




Flanşlı Konik Redüksiyon (Krom)

Flanged Conical reduction (Chrome)

Фланцевый конический редуктор (хром)

Riduzione conica flangiata (Cromo)

CODE	ØDi	ØDs	H	s	nxØ	A	B
AKMKB - 110	120	100	50	0,8	6x6	156	145
	150	120	50	1	6x6	190	175




Paketleme Koniği (Krom)

Bagging Conical (Chrome)

Мешки конические (хромированные)

Insaccamento conico (cromato)

CODE	ØDi	ØDs	H	s	nxØ	A	B
AKMKB - 111	120	180	425	0,8	4x12	250	224
	150	180	425	1	4x12	250	224


**Flanş Ağzılı (Krom)**

Flange Spout (Chrome)

Фланцевый носик (хром)

Beccuccio flangiato (cromato)

CODE	ØDi	ØDs	ØDt	nxØ	H	s
AKMKB - 112	120	156	145	6x6	28	0,80
	150	190	175	6x6	28	1
	200	240	225	6x6	50	1,2
	250	290	275	6x6	50	1,2
	300	340	325	6x6	50	1,5


**Ters Hava Çıkışlı (Krom)**

wrong air outlet (Chrome)

Неправильное выпускное отверстие (хром)

uscita aria errata (cromato)

CODE	ØDi	H	s	Number Of Holes
AKMKB - 113	120	95	0,8	3
	150	95	1	6
	200	95	1,2	6


**Kaynaklı Bağlantı (Krom)**

Welded Joint (Chrome)

сварное соединение (хром)

Giunto Saldato (cromato)

CODE	ØDi	H	s
AKMKB - 114	120	25	0,8
	150	25	1
	200	25	1
	250	25	1
	300	25	1,2


**Boru Bağlantı (Krom)**

Pipe Connection (Chrome)

Трубное соединение (хром)

Collegamento del tubo (cromato)

CODE	ØDi	H	s
AKMKB - 115	120	100	0,8
	150	100	1,2



Çatal Bağlantı (Krom)

Fork Connection (Chrome)
Вилочное соединение (хром)
Attacco a forcella (cromato)



CODE

AKMKB - 116

Un Klapesi (Krom)

Flour Valve (Chrome)
Клапан для муки (хром)
Valvola per farina (cromato)




CODE

AKMKB - 117

Boru Enjektör (Krom)

Pipe Injector (Chrome)
Трубчатый инжектор (хром)
Iniettore Per Tubi (cromato)



CODE

AKMKB - 118

Boru Enjektör

Pipe Injector
Трубчатый инжектор
Iniettore Per Tubi




CODE

AKMB - 116

Krolet Kelepçe

Pipe Joint Clamp
Хомут для соединения труб
Morsetto per giunto per tubi

CODE	ØD1	ØD2	H	s
AKMKB - 119 AKMB - 117	124	135	6	1
	129	140	6	1
	154	165	6	1
	165	176	6	1
	204	215	6	1



Gözetleme Borusu

Sight Pipe
смотровая труба
Tubo di Mira

CODE	ØD	H	s
AKMKB - 120	105	210	1
	120	210	1
	150	210	1
	200	210	1,2
	250	230	1,2
	300	300	1,5

**Flanşlı Boru**

Flanged Pipe
смотровая труба
Tubo Flangiato

CODE	ØD	H	s
AKMKB - 121	105	200	1
	120	200	1
	150	200	1
	200	200	1,2

**Simetrik Yaylı Klepe**

Symmetrical Spring Valve
Симметричный пружинный клапан
Valvola A Molla Simmetrica

CODE	ØDi	A	H	s
AKMKB - 122	105	140	200	1,2
	120	185	240	1,2
	150	200	270	1,2
	200	230	320	1,5

**Asimetrik Manuel Klepe**

Asymmetric Manual Valve
Асимметричный ручной клапан
Valvola Manuale Asimmetrica

CODE	ØDi	A	H	s
AKMKB - 123	105	275	335	1,2
	120	340	405	1,2
	150	395	460	1,2
	200	480	565	1,5

**Simetrik Manuel Klepe**

Symmetric Manual Valve
Симметричный ручной клапан
Valvola Manuale Simmetrica

CODE	ØDi	A	H	s
AKMKB - 124	105	140	200	1,2
	120	185	240	1,2
	150	200	270	1,2
	200	230	320	1,2



Asimetrik Çatal Klepe

Asymmetrical Fork Valve

Асимметричный вилочный клапан

Valvola a forcella asimmetrica

CODE	ØDi	A	H	s
AKMKB - 125	105	275	335	1,2
	120	340	405	1,2
	150	395	460	1,2
	200	480	565	1,2



Asimetrik Pnömatik Klepe

Asymmetrical Pneumatic Valve

Асимметричный пневматический клапан

Valvola pneumatica asimmetrica

CODE	ØDi	A	H	s
AKMKB - 126	105	275	335	1,2
	120	340	405	1,2
	150	395	460	1,2
	200	480	565	1,2



Simetrik Pnömatik Klepe

Symmetrical Pneumatic Valve

Симметричный пневматический клапан

Valvola pneumatica simmetrica

CODE	ØDi	A	H	s
AKMKB - 127	105	140	200	1,2
	120	185	240	1,2
	150	200	270	1,2
	200	230	320	1,2



Kauçuk Kapak

Rubber Cover

Резиновый чехол

Copertura in Gomma

CODE	ØDi
AKMB - 118	100



Boru Bağlantı Kaplini*Pipe Connection Coupling**Муфта для соединения труб**Giunto Di Collegamento Del Tubo*

CODE	Ø	H
AKMKB - 128	51	150
	57	150
	60	150
	70	150
	76	150
	83	150
	89	150
	100	150
	102	150
	108	150
	114	150
	120	150
	127	150
	139	150
	150	150
	168	150


**Tekli İpek Gerdirme Makinesi***Single Silk Tensioning Machine**Адиночная машина для натяжения шелка**Singola macchina per il tensionamento della seta*

CODE	A	B	H
AKMIG - 101	850	850	932
	900	900	932

**Çiftli İpek Gerdirme Makinesi***Double Tensioning Machine**Двойная машина для натяжения шелка**Doppia macchina di tensionamento*

CODE	A	B	H
AKMIG - 101	850	850	932
	900	900	932





+90(364) 234 06 55 info@akersa.com www.akersa.com

Pınarçay OSB. 14. Cd. No: 4 Merkez / ÇORUM / TÜRKİYE